



EDGE CONDITIONS LEGEND:

(E1) - 1'-0" (H) TO 7'-8" (H)(VARIES) X 1'-1" (W) PARAPET WALL. REMOVE EXISTING METAL COPING, ALL WALL FLASHINGS AND ANY LOW METAL COUNTER FLASHING. INSTALL FULLY ADHERED WALL FLASHING UP OVER EXIST. TOP PLATE AND DOWN FRONT FACE. INSTALL NEW TWO PIECE METAL FASCIA (SEE DET. 0001)

(E2) - 0'-8" TO 8'-0" (H)(VARIES) WALL FLASHING. REMOVE ALL FLASHINGS INCLUDING ANY LOW METAL COUNTER FLASHING. INSTALL FULLY ADHERED NEW WALL FLASHING FULL HEIGHT. INSTALL TERM BAR, SEALANT AND SURFACE MOUNTED COUNTER FLASHING WITH SEALANT JOINT TIGHT TO BOTTOM EDGE OF EXISTING EIFS COPING TO REMAIN (SEE DET. 0002)

NOTE: MAKE REPAIRS TO TOP AND ROOF SIDE FACES OF THE EXISTING EIFS COPINGS AND INSTALL ELASTOMERIC COATING ON TOP AND ROOF SIDES OF ALL EIFS COPINGS

NOTE: INSTALL 1/2" MECH ATTACHED DENS DECK OVER ALL FLASHING SUBSTRATES WHERE BUR FLASHINGS ARE REMOVED

NOTE: INSTALL INTERMEDIATE HORIZONTAL TERM BARS IF REQUIRED BY MANUFACTURER DUE TO FLASHING HEIGHTS

- PENETRATIONS LIST:**
- CURBS**
- A - 4'6"X8'6" FIRE HATCH CURB
 - B - 4'6"X4'6" FIRE HATCH CURB
 - C - 10'6"X4' PENTHOUSE (ACCESS TO ROOF)
 - D - 10'6"X4' RTU
 - E - CHILLER UNIT ON 24'X58' I-BEAMS WITH (6) 6" ROUND SUPPORTS
 - F - CONDENSER ON 3'6"X9' I-BEAMS WITH (4) 6" ROUND SUPPORTS
 - G - 3'6"X6' RTU
 - H - 3'X4' RTU
 - I - 5'X7' RTU
- 3'X3'6" ROOF HATCH - 2**
- PIPES**
- 1" - 9
 - 2" - 19
 - 3" - 3
 - 4" - 16
- VENT STACKS**
- 6" - 3
 - 8" - 1
 - 10" - 4
- 19'X1'9" RTV - 6
 2'6"X2'6" KITCHEN EXHAUST FAN - 1
 1'8"X1'6" RTV - 1
 2'X2' KITCHEN EXHAUST FAN - 2
 1'4"X1'4" RTV - 9
 19'X1'9" KITCHEN EXHAUST FAN - 2
 SATELLITE DISH ON 1'X1' CURB - 1
 3'X3' SATELLITE DISH PAD - 2 (SET ON WALK PADS)
 6'6"X6'6" SATELLITE DISH PAD - 1 (SET ON WALK PADS)
 CONDENSER ON (2) 1'6" LONG WOOD SUPPORTS - 1
 CONDENSER ON (2) 4" LONG WOOD SUPPORTS - 1
 CONDENSER ON 4 LEGS NOT THROUGH ROOF (2'X4') - 1

(ON ALL CONDENSERS ON WOOD SUPPORTS - REPLACE WOOD WITH P.T. LUMBER TO MATCH SET ON WALK PADS)

General Notes



DISCLAIMER
 ALL DEAD, DESIGNED ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY, AND ARE THE PROPERTY OF ROOFINGPROJECTS.COM AND WERE CREATED, EVOLVED AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH LOGOS, DESIGNS, ARRANGEMENTS OR MARKS SHALL BE USED BY OR DISCLOSED TO ANY THIRD PARTY WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF ROOFINGPROJECTS.COM.
 WRITTEN DIMENSIONS ON THIS DRAWING SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS.

No.	Revision/Issue	Date

Firm Name and Address
 RoofingProjects-com
 17 High Street
 Suite 301
 Norwalk, CT
 06851

Project Name and Address
 2026
 Safeway #1804
 4101 Northview Dr
 Bowie, MD 20716

Project	Sheet
Date April 20, 2026	1
Scale 1/16" = 1'-0"	