



EDGE CONDITIONS LEGEND:

(E1) — 8" (H) X 1'-0" (W) RAISED EXP. JOINT. REMOVE EXISTING WALL FLASHINGS & RAISED EXP. JOINT CAP & JOINT. INSTALL FOAM ROD 1 1/2 TIMES WIDTH OF JOINT AND INSTALL FULLY ADHERED FLASHING UP OVER AND DOWN OPPOSITE FACE AND TIE INTO THE FIELD OF ROOF ON BOTH SIDES

(E2) — 1'-6" (H) TO 6'-7" (H)(VARIES) X 1'-8"(W) PARAPET WALL. REMOVE EXISTING METAL COPING, WALL FLASHINGS AND ANY LOW METAL COUNTER FLASHING. INSTALL FULLY ADHERED WALL FLASHING UP OVER EXIST. TOP PLATE AND DOWN FRONT FACE. INSTALL NEW TWO PIECE METAL FASCIA (SEE DET. 0001)

NOTE: AT RAISED PARAPET AND CORNER AREAS, THE DETAIL METAL BELOW THE COPING CAP TO REMAIN - INSTALL NEW TWO PIECE FASCIA IN PLACE OF COPING METAL

(E3) — 1'-4" TO 1'-10" (H)(VARIES) WALL FLASHING, REMOVE FLASHINGS. INSTALL FULLY ADHERED NEW WALL FLASHING, INSTALL TERM BAR, SEALANT AND SLIP FLASHING TO BACKSIDE OF EXISTING METAL COUNTER FLASHING TO REMAIN (SEE DET 0002)

(E4) — 1'-4" TO 1'-10" (H)(VARIES) WALL FLASHING, REMOVE FLASHINGS. INSTALL FULLY ADHERED NEW WALL FLASHING, INSTALL TERM BAR, SEALANT AND SLIP FLASHING TO BACKSIDE OF NEW DRIP EDGE METAL AT BASE OF NEW SHINGLE ROOFING (SEE DET 0002)

ROOF PLAN

NOTE: INSTALL 1/2" MECH ATTACHED DENS DECK OVER ALL FLASHING SUBSTRATES WHERE BUR FLASHINGS ARE REMOVED AND AT CDNC. BLOCK PARAPETS TO RECEIVE NEW FLASHINGS

- PENETRATIONS LIST:**
- CURBS**
 A - CHILLER UNIT ON (4) 8"6" LONG ESC'S
 B - CHILLER UNIT ON (3) 8"6" LONG ESC'S
 C - 5'X6'6" RTU
 D - 3'X6'6" RTU
 E - 6'X7' RTU
 F - CONDENSER ON (2) 6"6" LONG ESC'S
 G - 5'X7' RTU
 H - 4'X8' RTU
 I - 3'X5' RTU
 RH - 3'X3'6"
- PIPES**
 1" - 24
 2" - 1
 3" - 7
 4" - 10
 5" - 4
- VENT STACKS**
 8" - 6
- RTUS**
 1'6"X1'6" - 3
 2'X2' - 1
 1'X1' - 1
 2'4"X2'4" - 1
 1'9"X1'9" - 3
- UTILITY HOODS**
 1'3"X1'9" - 2
 1'3"X2'3" - 2
 1'X1' - 2
- KITCHEN EXHAUST FANS**
 4'6"X6" - 1
 2'6"X2'6" - 2
 3'6"X3'6" - 1
- 4'6"X4'6" SATELLITE DISH PAD - 1 (SET ON WALK PADS)
 CONDENSER ON (2) 3'6" LONG WOOD SUPPORTS - 1 (REPLACE WOOD W/ P.T. LUMBER TO MATCH AND SET ON WALK PADS)
 CONDENSER WITH 4 LEGS RESTING ON ROOF - 1 (SET ON WALK PADS)
 CONDENSER WITH (2) 8' LONG WOOD SUPPORTS - 2 (REPLACE WOOD W/ P.T. LUMBER TO MATCH AND SET ON WALK PADS)

INCLUDE IN SHINGLE SCOPE OF WORK: REMOVE THE EXISTING GUTTER LINING AND INSTALL NEW FULLY ADHERED UN-REINFORCED EPDM GUTTER LINER IN BUILT-IN GUTTER AREAS AT BASE OF SHINGLE ROOFS

RAISED PARAPET WALL HEIGHTS (SEE NOTE ON EDGE CONDITION E2 FOR EXISTING DETAIL METAL TO REMAIN BELOW NEW FASCIA METAL)

General Notes



DISCLAIMER
 ALL DEAD, DESIGNED ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY, AND ARE THE PROPERTY OF ROOFINGPROJECTS.COM AND WERE CREATED, EVOLVED AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH LOGOS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT THE WRITTEN PERMISSION OF ROOFINGPROJECTS.COM.
 WRITTEN DIMENSIONS ON THIS DRAWING SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS.

No.	Revision/Issue	Date

Firm Name and Address
 RoofingProjects-com
 17 High Street
 Suite 301
 Norwalk, CT
 06851

Project Name and Address
 2026
 Acme #943
 1619 Center Square Rd
 Swedesboro, NJ 08085

Project	Sheet
Date April 14, 2026	1
Scale 1/16" = 1'-0"	