



Roof Section A

Pipes

- 1"- 9
- 3"- 3
- 4"- 12
- 6"- 3
- 1'- 2

Fan Curbs

- 2'10"x2'10" Kitchen Exhaust Fan- 2
- 3'x3'- 1
- 2'x2'- 1
- 1'4"x1'4"-1
- 3'3"x2'9"- Roof Hatch

RTU's

- A - 4'4"x6'
- B - 5'x8'

Satellite Dishes

- Satellite Dish Mounted to Interior Parapet Wall- 1
- 3'x3' Base (SET ON WALK PADS)

Side Curb Mounted Edge Boxes- 4

Gutter Mounted Antenna- 1

EDGE CONDITION LEGEND

- E1 - REMOVE EXIST. DRIP EDGE METAL AND 6" X 6" GUTTER. INSTALL NEW WOOD BLOCKING TO MATCH HEIGHT OF NEW ROOF SYSTEM AND TO PROMOTE DRAINAGE INTO GUTTER. INSTALL NEW 6" X 6" BOX GUTTER W/ 4"X4" DOWNSPOUTS IN ORIGINAL LOCATIONS (SEE DET. 0001)
- E2 - REMOVE EXISTING TERM BAR AND EXIST. ROOF TO WALL EXP. JOINT. INSTALL FOAM ROD 1 1/2 TIMES WIDTH OF JOINT AND INSTALL 1'-4"(H) FULLY ADHERED WALL FLASHING, TERM BAR W/ SEALANT AND NEW SURFACE MOUNTED COUNTER FLASHING W/ SEALANT AT TOP (SEE DET. 0002)
- E3 - INSTALL 9"(H) FULLY ADHERED WALL FLASHING, TERM BAR W/ SEALANT AND NEW SURFACE MOUNTED COUNTER FLASHING W/ SEALANT AT TOP TIGHT TO BOTTOM OF EIFS WALL CLADDING (SEE DET. 0002)
- E4 - EXISTING 1'-1" (W) COPING/METAL ROOFING CAP TO REMAIN (METAL ROOFING CAP METAL) INSTALL 3'-8" (H) FULLY ADHERED WALL FLASHING, INSTALL NEW TERM BAR, SEALANT AND SLIP FLASHING TO BACKSIDE OF EXISTING COPING TOP REMAIN (SEE DET. 0003)
- E5 - CUT BOTTOM EDGE OF EIFS WALL CLADDING TO FACILITATE AN 8" MIN FLASHING HEIGHT AND SEAL CUT EDGE. INSTALL 8"(H) FULLY ADHERED WALL FLASHING, TERM BAR W/ SEALANT AND NEW SURFACE MOUNTED COUNTER FLASHING W/ SEALANT AT TOP TIGHT TO BOTTOM OF EIFS WALL CLADDING (SEE DET. 0002)
- E6 - REMOVE EXISTING 1'-1" (W) METAL COPING, INSTALL 10" TO 2'-8"(H) FULLY ADHERED WALL FLASHING UP OVER EXIST. TOP PLATE AND DOWN FRONT FACE, INSTALL NEW TWO PIECE METAL FASCIA (SEE DET. 0004)

NOTE: REMOVE ALL EXISTING FLASHINGS DOWN TO SUBSTRATE MATERIAL PRIOR TO INSTALLING NEW FLASHINGS

Roof Section B

Pipes

- 1"- 5
- 2"- 2
- 3"- 1
- 4"- 3
- 6"- 8

4" Square PP- 2

8" Square PP- 1

12"x8" PP- 1

Fan Curbs

- 3'x3'- 1
- 2'x2'- 2
- 1'6"x1'6" Kitchen Exhaust Fan-1
- 1'8"x1'8"- 1
- 3'3"x2'9"- Roof Hatch

RTU's

- A - 4'x7'4"
- B - 4'x6'
- C - 5'x8'

Satellite Dishes (SET ON WALK PADS)

- 3'x3' Base- 2
- 4'x4' Base- 1
- 6'x6' Base- 1

Additional Items

- Condenser + Satellite Dish on (2) 7'(L) 6x6 Wood Dunnage (Replace Wood & set on walk pad)
- Condenser + Satellite Dish on (2) 10'(L) 8x8 Wood Dunnage (Replace Wood & set on walk pads)
- 9'(L) Steel Railing Edge Protection at Hatch Mounted to the Wall (Remove/Paint/Reinstall)



DISCLAIMER
ALL IDEAS, DESIGN ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND ARE THE PROPERTY OF ROOFINGPROJECTS.COM AND WERE CREATED, INVOLVED AND DEVELOPED FOR USE ON AND IN CONNECTION WITH THE SPECIFIC PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY PURPOSE WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF ROOFINGPROJECTS.COM.

WRITTEN DIMENSIONS ON THIS DRAWING SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS.

No.	Revision/Issue	Date

Firm Name and Address
RoofingProjects.com
17 High Street
Suite 300
Norwalk, CT
06851

Project Name and Address
2026
Acme #1058
RETAIL SHOPS
125 FRANKLIN TPKE.
MAHWAH, NJ

Project	Sheet
Date April 14, 2026	1
Scale 1/16" = 1'	